



Certificate of Analysis

Customer Information

Client: Super Organics
Attention: (754) 800-5219
Address: 7901 4th St N, STE 300
 St. Petersburg, FL 33702

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: Kratom Tablets
Lot Number: T085
Description: Pressed Tablet
Condition: Good
Job ID: ISO04789
Sample ID: I13139
Received: 22AUG2025
Completed: 28AUG2025
Issued: 28AUG2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD)		Method Code: T102	Tested: 28AUG2025 1116		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	3.62	mg/unit	0.0087	N/A
7-Hydroxymitragynine	Report Results	<LOQ	mg/unit	0.0087	N/A
Paynantheine	Report Results	0.667	mg/unit	0.0087	N/A
Speciogynine	Report Results	0.548	mg/unit	0.0087	N/A
Speciociliatine	Report Results	0.869	mg/unit	0.0087	N/A
Total Mitragyna Alkaloids	Report Results	5.71	mg/unit	0.0087	N/A

Mitragyna Alkaloids (UHPLC-DAD)		Method Code: T102	Tested: 28AUG2025 1116		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.22	w/w%	0.0029	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.0029	N/A
Paynantheine	Report Results	0.224	w/w%	0.0029	N/A
Speciogynine	Report Results	0.185	w/w%	0.0029	N/A
Speciociliatine	Report Results	0.293	w/w%	0.0029	N/A
Total Mitragyna Alkaloids	Report Results	1.92	w/w%	0.0029	N/A

Elemental Impurities (ICP-MS)		Method Code: T301	Tested: 28AUG2025 1153		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.00	0.054	ug/g	0.006	PASS
Cadmium	NMT 0.40	<LOQ	ug/g	0.002	PASS
Mercury	NMT 0.20	0.012	ug/g	0.002	PASS
Lead	NMT 1.25	0.409	ug/g	0.002	PASS

Microbiological Examination

Method Code: T005

Tested: 22AUG2025 | 1547

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.297 grams.

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:

Tyler West

Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

28AUG2025



Certificate of Analysis

Customer Information

Client: Super Organics
Attention: (754) 800-5219
Address: 7901 4th St N, STE 300
 St. Petersburg, FL 33702

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: Kratom Tablets
Lot Number: T085
Description: Pressed tablet
Condition: Good
Job ID: ISO05713
Sample ID: I15837
Received: 10DEC2025
Completed: 15DEC2025
Issued: 16DEC2025

Test Results

Microbiological Examination

Method Code: T005

Tested: 10DEC2025 | 1515

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	230	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	260	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 15DEC2025 | 1412

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.00	0.292	ug/g	0.006	PASS
Cadmium	NMT 0.40	0.025	ug/g	0.002	PASS
Mercury	NMT 0.20	0.016	ug/g	0.002	PASS
Lead	NMT 1.25	0.522	ug/g	0.002	PASS

Additional Report Notes

N/A

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:

Tyler West

Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

16DEC2025