



Certificate of Analysis

Customer Information

Client: Super Organics
Attention: (754) 800-5219
Address: 7901 4th St N, STE 300
 St. Petersburg, FL 33702

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: Kratom Tablets
Lot Number: T086
Description: Pressed Tablet
Condition: Good
Job ID: ISO04789
Sample ID: I13140
Received: 22AUG2025
Completed: 28AUG2025
Issued: 28AUG2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 28AUG2025 | 1143

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	3.50	mg/unit	0.0086	N/A
7-Hydroxymitragynine	Report Results	<LOQ	mg/unit	0.0086	N/A
Paynantheine	Report Results	0.646	mg/unit	0.0086	N/A
Speciogynine	Report Results	0.529	mg/unit	0.0086	N/A
Speciociliatine	Report Results	0.818	mg/unit	0.0086	N/A
Total Mitragyna Alkaloids	Report Results	5.49	mg/unit	0.0086	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 28AUG2025 | 1143

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.18	w/w%	0.0029	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.0029	N/A
Paynantheine	Report Results	0.217	w/w%	0.0029	N/A
Speciogynine	Report Results	0.178	w/w%	0.0029	N/A
Speciociliatine	Report Results	0.275	w/w%	0.0029	N/A
Total Mitragyna Alkaloids	Report Results	1.85	w/w%	0.0029	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 27AUG2025 | 1137

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.00	0.173	ug/g	0.006	PASS
Cadmium	NMT 0.40	<LOQ	ug/g	0.002	PASS
Mercury	NMT 0.20	0.039	ug/g	0.002	PASS
Lead	NMT 1.25	0.323	ug/g	0.002	PASS

Microbiological Examination		Method Code: T005		Tested: 22AUG2025 1547	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	20	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	20	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Pesticides (GC-MS/MS)		Method Code: T401		Tested: 23AUG2025 2320	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Acephate	NMT 0.1	ND	mg/Kg	0.0096	PASS
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.0096	PASS
Azinphos-methyl	NMT 1	ND	mg/Kg	0.0096	PASS
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.0096	PASS
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.0096	PASS
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.0096	PASS
Deltamethrin	NMT 0.5	ND	mg/Kg	0.0096	PASS
Diazinon	NMT 0.5	ND	mg/Kg	0.0096	PASS
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.0096	PASS
Dichlorvos	NMT 1	ND	mg/Kg	0.0192	PASS
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.0096	PASS
Omethoate	Report Results	ND	mg/Kg	0.0096	N/A
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.096	PASS
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.048	N/A
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.048	N/A
Ethion	NMT 2	ND	mg/Kg	0.0096	PASS
Etrimphos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.0192	PASS
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.0096	N/A
Fenitrothion	NMT 0.5	ND	mg/Kg	0.0096	PASS
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.0096	PASS
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.0384	PASS
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.0096	N/A
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.0096	N/A
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.0096	N/A
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.0192	PASS
Fenthion oxon	Report Results	ND	mg/Kg	0.0192	N/A
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.0192	N/A
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.0192	N/A
Fenthion sulfone	Report Results	ND	mg/Kg	0.0192	N/A
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.0192	N/A
Flucythrinate	NMT 0.05	ND	mg/Kg	0.0096	PASS
Fluvalinate	NMT 0.05	ND	mg/Kg	0.0096	PASS
Fonophos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.0192	PASS
Malathion oxon	Report Results	ND	mg/Kg	0.0096	N/A

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mecarbam	NMT 0.05	ND	mg/Kg	0.0096	PASS
Methacriphos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Methamidophos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Methadathion	NMT 0.2	ND	mg/Kg	0.0096	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.0096	PASS
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.0192	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.0096	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.0192	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.0096	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.0096	PASS
Phosalone	NMT 0.1	ND	mg/Kg	0.0096	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.0096	PASS
Pirimphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.0288	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.0192	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.0096	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.0096	PASS
Prothiophos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.048	PASS
Cinerin I	Report Results	ND	mg/Kg	0.048	N/A
Cinerin II	Report Results	ND	mg/Kg	0.048	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.048	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.048	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.048	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.048	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.0096	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.0096	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.0096	PASS
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.0192	PASS
Dieldrin	Report Results	ND	mg/Kg	0.0096	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.0096	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.0096	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.0192	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.0096	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.0096	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.0192	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.0096	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.0096	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.0096	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.0192	PASS
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.0096	PASS
Cypermethrins	NMT 1	ND	mg/Kg	0.0192	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.0096	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.0096	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.0096	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.0096	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.0096	N/A

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
o,p-DDD	Report Results	ND	mg/Kg	0.0096	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.0096	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.0096	PASS
Endosulfans	NMT 3	ND	mg/Kg	0.0096	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.0096	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.0096	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.0096	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.0096	PASS
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.0192	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.0192	N/A
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.0192	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.0096	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.0096	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.0096	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0096	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0096	N/A
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0096	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.0096	PASS
Methoxychlor	NMT 0.05	ND	mg/Kg	0.0096	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.0096	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.0096	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.0096	PASS
cis-Permethrin	Report Results	0.01	mg/Kg	0.0096	N/A
trans-Permethrin	Report Results	0.041	mg/Kg	0.0096	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.0096	PASS
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.0864	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.0192	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.048	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.0096	PASS
S-421	NMT 0.02	ND	mg/Kg	0.0096	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.297 grams. T401 performed by a registered outsourcing facility.

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:

Tyler West

Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

28AUG2025



Certificate of Analysis

Customer Information

Client: Super Organics
Attention: (754) 800-5219
Address: 7901 4th St N, STE 300
 St. Petersburg, FL 33702

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: Kratom Tablets
Lot Number: T086
Description: Pressed Tablet
Condition: Good
Job ID: ISO05368
Sample ID: I14837
Received: 28OCT2025
Completed: 30OCT2025
Issued: 30OCT2025

Test Results

Microbiological Examination

Method Code: T005

Tested: 28OCT2025 | 1736

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 100,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 29OCT2025 | 1452

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.00	0.243	ug/g	0.006	PASS
Cadmium	NMT 0.40	0.036	ug/g	0.002	PASS
Mercury	NMT 0.20	0.012	ug/g	0.002	PASS
Lead	NMT 1.25	0.236	ug/g	0.002	PASS

Additional Report Notes

N/A

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:

Tyler West

Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

30OCT2025